

**GOOD SENSE COMPLETE- famotidine, magnesium hydroxide and calcium carbonate tablet, chewable**

**L Perrigo Company**

-----

**Perrigo Complete Drug Facts**

**Active ingredient (in each chewable tablet)**

Famotidine 10 mg

Calcium carbonate 800 mg

Magnesium hydroxide 165 mg

**Purpose**

Acid reducer

Antacid

**Uses**

relieves heartburn associated with acid indigestion and sour stomach

**Warnings**

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

**Ask a doctor or pharmacist before use if you are**

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- adults and children 12 years and over:
- do not swallow tablet whole: chew completely
- to relieve symptoms, chew 1 tablet before swallowing
- do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

**Other information**

- each tablet contains: calcium 320 mg; magnesium 70 mg
- Phenylketonurics: Contains phenylalanine 2.2 mg per tablet
- read the directions and warnings before use
- read the bottle label. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

**Inactive ingredients**

anhydrous lactose, artificial berry flavor, aspartame, D&C red no. 7 calcium lake, dextrates, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

**Questions or comments?**

1-800-719-9260

**Principal Display Panel**

Dual Action

Complete

Famotidine 10 mg/Calcium Carbonate 800 mg

Magnesium Hydroxide 165 mg Tablets

Acid Reducer plus Antacid

Just One Tablet! Relieves Heartburn Due to Acid Indigestion

Actual Size

Berry Flavor

Compare to active ingredients of Pepcid Complete®

Drug Facts (continued)  
[Questions or comments?  
1-800-719-9280  
Gluten Free

DISTRIBUTED BY  
**PERALGO**  
ALLISON, MI 49310

GOODSENSE<sup>®</sup>

NDC 0113-0321-63

Dual Action

Complete

Famotidine 10 mg/Calcium Carbonate 800 mg  
Magnesium Hydroxide 165 mg Tablets

**Acid Reducer  
plus Antacid**

Just One Tablet!  
Relieves Heartburn Due  
to Acid Indigestion

Actual Size  
**Berry Flavor**

25 Chewable  
Tablets

Compare to active ingredients  
of Pepcid Complete<sup>®</sup>

100%  
Satisfaction  
Guaranteed

DO NOT USE IF PRINTED FOIL UNDER CAP  
IS BROKEN OR MISSING

• Do not use if you are allergic to any of the ingredients or to any of the inactive ingredients in this product.  
• Do not lie flat or bend over after eating.  
• Do not wear tight-fitting clothing around the stomach.  
• Do not use if you are taking other medicines that may interact with this product.  
• Raise the head of your bed.  
• Avoid heartburn-causing foods such as rich, spicy, fatty, or acidic foods, alcohol, caffeine, alcohol, and certain fruits and vegetables.  
• Eat slowly and avoid big meals.  
• If overweight, lose weight. • Quit smoking

32163 C2 F4

Drug Facts

**Active Ingredients**  
(in each chewable tablet)

Famotidine 10 mg.....	Acid reducer
Calcium carbonate 800 mg.....	Antacid
Magnesium hydroxide 165 mg.....	Antacid

**Use** relieves heartburn associated with acid indigestion and sour stomach

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness

■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck, or shoulders; or lightheadedness

■ frequent heartburn, particularly with nighttime heartburn

- loss of weight loss
- nausea or vomiting
- stomach pain

**Ask a doctor or pharmacist before use if you are** presently taking a prescription drug. Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

3

7003014866

0

PEEL BACK HERE

Complete Label Image 1

## ***Drug Facts*** (continued)

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

## ***Directions***

- adults and children 12 years and over:
  - **do not swallow tablet whole: chew completely**
  - to relieve symptoms, **chew** 1 tablet before swallowing
  - do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

## ***Other information***

- **each tablet contains:** calcium 320 mg; magnesium 70 mg
- Phenylketonurics: Contains **phenylalanine** 2.2 mg per tablet
- read the directions and warnings before use
- read the bottle label. It contains important information.
- store at 20-25°C (68-77°F)

■ protect from moisture

***Inactive ingredients*** anhydrous lactose, artificial berry flavor, aspartame, D&C red no. 7 calcium lake, dextrates, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

Complete Label Image 2

## GOOD SENSE COMPLETE

famotidine, calcium carbonate and magnesium hydroxide tablet, chewable

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0113-0321
Route of Administration	ORAL	DEA Schedule	

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM HYDROXIDE - UNII:NBZ3QY004S)	MAGNESIUM HYDROXIDE	165 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CARBONATE ION - UNII:7UJQ5OPE7D)	CALCIUM CARBONATE	800 mg

### Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
DEXTRATES (UNII: G263MI44RU)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

POVIDONE (UNII: FZ989GH94E)				
TALC (UNII: 7SEV7J4R1U)				
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)				
Product Characteristics				
Color	PINK (mottled)	Score	no score	
Shape	ROUND (bi-layered)	Size	17mm	
Flavor	BERRY	Imprint Code	L321	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0113-0321-63	25 in 1 BOTTLE		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
ANDA	ANDA077355		08/05/2008	

**Labeler** - L Perrigo Company (006013346)